

Amendments to the Claims:

The listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A ~~message routing method~~ for routing a message between services in a message routing network, comprising:

(a) associating an identifier with an entity that has been authenticated by a said message routing network, wherein said identifier ~~capable of being~~ is to be associated with an entity account upon authentication of said entity with a first service that supports said entity account;

(b) receiving, from a second service, a message including said identifier, said message being that is directed to a mapped service, wherein said mapped service is an entity account-specific representation of said first service and acts as a proxy for said first service; and

(c) translating, by said message routing network, said message for delivery to said first service, wherein said translated message includes including said identifier and being is directed from said mapped service to said first service.

2. (Original) The message routing method of claim 1, wherein said identifier is a message routing network ID.

3. (Original) The message routing method of claim 2, wherein said identifier is a message routing network ID for said mapped service.

4. (Currently Amended) The message routing method of claim 1, further comprising the step of associating said identifier with an entity account upon authentication of said entity with said first service.

5. (Currently Amended) The message routing method of claim 1, wherein said translating comprises adding an identifier of said entity account to said message.
6. (Currently Amended) The message routing method of claim 1, wherein upon receipt of said translated message, said first service associates said identifier with said entity account based on a mapping internal to said first service.
7. (Original) The message routing method of claim 1, further comprising receiving a second message from said first service, said second message being directed to said mapped service.
8. (Original) The message routing method of claim 7, further comprising translating said second message for delivery to said second service.
9. (Currently Amended) A computer program product comprising:
- computer-readable program code for causing a computer to associate an identifier with an entity that has been authenticated by a message routing network, wherein said identifier capable of being is to be associated with an entity account upon authentication of said entity with a first service that supports said entity account;
- computer-readable program code for causing a computer to receive, from a second service, a message including said identifier, said message being that is directed to a mapped service, wherein said mapped service is an entity account-specific representation of said first service and acts as a proxy for said first service;
- computer-readable program code for causing a computer to translate said message for delivery to said first service, wherein said translated message including is translated by said

message routing network and includes said identifier and being is directed from said mapped service to said first service; and

a computer-usable medium configured to store the computer-readable program codes.

10. (Original) A message routing system, comprising:

a message routing network that enables routing of a message between a first service and a second service, said message being associated with an account being supported by said second service, wherein said message routing network is operative to effect a virtual service through which said first service and said second service communicate, wherein implementation of said virtual service is supported by a mapping that associates said virtual service with said account.

11. (Original) The message routing system of claim 10, wherein said message includes an identifier that is associated with said account.

12. (Original) The message routing system of claim 10, wherein said mapping is stored by said message routing network.

13. (Original) The message routing system of claim 12, wherein said message routing network adds an identifier of said account to a message being delivered to said second service.

14. (Original) The message routing system of claim 10, wherein said mapping is stored by said second service.

15. (Currently Amended) A message routing method, comprising:

(a) providing a proxy service for messages transferred between a first application service provider and a second application service provider in a message routing network, said first application service provider and said second application service provider providing application services for an enterprise, said proxy service being provided by the message routing network and enabling said first application service provider to send information on behalf of said enterprise to said second application service provider without said first application service provider and said second application service provider having knowledge of each other.

16. (Original) The message routing method of claim 15, wherein said proxy service adds an account identifier to a message that is transmitted to said second application service provider.